

# STEPAN® DISINFECTANT WIPE

(Optional statements:)

(CLEANER)(NEW)(QUICK)(EASY)(EFFECTIVE)(FAST EFFECTIVE)  
(CONVENIENT)

CLEANS, DISINFECTS & DEODORIZES

ALL PURPOSE CLEANER

ANTIBACTERIAL FORMULA CLEANS and DISINFECTS

(ORANGE)(LEMON)(FRESH)(SOAP)(CITRUS)(SCENTED)(SCENT)

(BLEACH-FREE)(ALCOHOL-FREE)

BACTERICIDAL

Kills 99.9% of Bacteria in (just) 60 Seconds (!)\*

Kills *Campylobacter jejuni* in (just) (1 minute) (60 seconds)(!)

Disinfects (household), (kitchen) and/or (bathroom) bacteria†

\* *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*, *Listeria monocytogenes*,  
*Escherichia coli* (E. coli) O157:H7

†*Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella),  
*Streptococcus pyogenes* (Strep), *Escherichia coli* (E. coli) O157:H7, ), *Community Associated*  
*Methicillin Resistant Staphylococcus aureus- CA-MRSA (Genotype USA400)* and *Community*  
*Associated Methicillin Resistant Staphylococcus aureus CA-MRSA (Genotype USA300)*, *Vancomycin*  
*resistant Enterococcus faecium (VRE)*, *Methicillin resistant Staphylococcus aureus (MRSA)*,  
*Vancomycin intermediate resistant Staphylococcus aureus (VISA)*

## ACTIVE INGREDIENTS

Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)

dimethyl benzyl ammonium chloride..... 0.14% w/w

Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl

ethylbenzyl ammonium chloride..... 0.14% w/w

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See side (back) panels for additional precautionary statements.

Read label before using

DIN 02304864

Manufactured By:

**STEPAN COMPANY**

22 W. Frontage Rd.

Northfield, IL 60093

Imported By:

**STEPAN CANADA INC.**

3800 Longford Mills Road

Longford Mills ON

L0K 1L0

Questions? Comments? 289-337-1651

NET CONTENTS:

LOT NO:

X (Pre-measured) (Pre-moistened) (Wipes) (Towelettes) (Cloths) (X)" x (X)"

(e.g. 40 Pre-measured Wipes (7" x 8") (18cm x 20cm)

X (Pre-measured) Single Use (Pre-Moistened) (Wipes) (Towelettes) (Cloths) (X)" x (X)"  
(e.g. 40 Pre-measured Single Use Towelettes (7" x 8") (18cm x 20cm)

Expiry Date:

(optional additional bullet points for label)

- (Antibacterial) (Disinfecting) and scrubbing power all in one
- (Kills) 99.9% (effective) in 60 seconds against *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352), *Listeria monocytogenes* (ATCC 35152), *Escherichia coli* (E. coli) O157:H7 (ATCC 43895).
- (Kills) Effective in (1 minute) (60 seconds) against *Campylobacter jejuni* (ATCC 29428)
- 99.9% effective in killing common (household) (kitchen) (bathroom) bacteria
- (Alcohol) (Solvent) (Bleach) free
- Antibacterial formula cleans and (disinfects) (sanitizes) in one step
- (Antimicrobial) (Antibacterial) wipes
- (Clean) and (Sanitize) and (Disinfect) non-porous surfaces (in any room in the house) (throughout the house)
- Cleaning made easy (ideal) for (sanitizing) (disinfecting) all (any) your hard, non-porous surfaces
- Cleans (tough stains) with (just) one wipe (no need for sprays or buckets)
- Cleans without scratching your surfaces
- Cleans, (sanitizes) (disinfects) and deodorizes
- Convenient flip top lid (or wipes)
- Cuts grease (through tough grime)
- Disposable cloth wipes
- Easy Cleaning (Around the house)
- Easy convenient dispensing (to use)
- Easy to use package (canister) to keep your wipes moist
- Effective against odor-causing bacteria (daily use)
- Effective in (sanitizing) (disinfecting) your (kitchen) (bathroom) surfaces
- Eliminates odors
- Fast and effective cleaning (easy way to clean)
- For all non-porous household surfaces (your (heavy) (light) duty jobs)
- (Hospital) (General) disinfectant wipes
- Great for on-the-go cleaning
- Hard surface (disinfecting) (sanitizing) wipe
- Just pull, wipe and toss
- Kills 99.9% of *Escherichia coli* (E. coli) O157:H7 (ATCC 43895) in (just) 60 seconds(!)
- Kills common (household) (kitchen) (bathroom) bacteria
- (Kitchen) and (Bathroom) wipes
- Leaves (a clean, fresh scent) your (bathroom) (kitchen) fresh and clean (
- Lint-free
- Made with scrubbing fibers (Non-scratching wipe)
- Multi-purpose (sanitizing) (disinfecting) wipe
- Non-woven disposable (wipes) (cloths) (towelettes)
- Nursery room (wipes) (cloths) (towelettes)
- One-step cleaning (save time)
- Pre-moistened (wipe) (towel) (towelette) (cloth)
- Quick and easy clean-ups (cleaning)

- Ready to use (R-T-U) wipes
- (Sanitize) (Disinfect) your household surfaces: highchairs, booster seats, strollers, car seats, cribs, tabletops, countertops, appliance exteriors, sinks, and glazed tiles
- (Sanitizing) and/or (Disinfecting) wipe
- (Solvent) (Alcohol) (Bleach) free (sanitizing) (disinfecting) (wipes) (towelettes) (cloths)
- Strong wipe for tough jobs
- Textured (cleaning) (wipe) (towelette) (cloth) (surface) for better cleaning
- The smart way to clean and (sanitize) and/or (disinfect)
- Touch-up cleaning any time
- Use every day in every room (throughout the house)
- Use in (public toilets) (Laundromats) (camp sites) (pet areas) (hotels) (motels) (lodging establishments) (manufacturing facilities) (factories) (offices) (office buildings) wherever (sanitizing) (disinfecting) is important
- Use on hard, non-porous surfaces: (stainless steel) (Formica®) (glass) (glass tables) (glazed porcelain) (plastic)
- Use on (equipment) hard, non-porous surfaces

(This product or Stepan® Disinfectant Wipe) is a bactericidal in the presence of organic soil (5% blood serum) against *Escherichia coli* (*E. coli*) O157:H7 (ATCC 43895), *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (Staph) (ATCC 6538) and *Streptococcus pyogenes* (Strep) (ATCC 19615), Community Associated Methicillin Resistant *Staphylococcus aureus*- CA-MRSA (Genotype USA400) and Community Associated Methicillin Resistant *Staphylococcus aureus* CA-MRSA (Genotype USA300), Vancomycin resistant *Enterococcus faecium* (VRE), Methicillin resistant *Staphylococcus aureus* (MRSA), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA), *Klebsiella pneumonia* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant at 5 minutes contact time.

(This product or Stepan® Disinfectant Wipe) are (is a) non-woven, disposable (towelette(s)) (wipe(s)), pre-saturated with a quaternary disinfectant cleaner.

(This product or Stepan® Disinfectant Wipe) is intended for use in:

- hospitals and healthcare settings: ambulances, anesthesia, CAT labs, CCU, Central Supply, Clinics, Dental Offices, Dialysis Clinics, Doctor's office(s), Emergency Rooms, E.R., Home health care, Hospices, ICU, Laboratory, Laundry rooms, Neonatal Intensive Care Units (NICU), Newborn nursery, Nursing homes, Operating rooms, Pediatrics, Pediatric Intensive Care Units (PICU), Physical therapy, Physician's office(s), Ophthalmic offices, Radiology, Recovery Room, Rehabilitation, Respiratory therapy, Surgery, Transport vehicles, X-Ray

(and/or)

- Critical Care Areas: CCU, Emergency Rooms, E.R., I.C.U. Neonatal Intensive Care Units (NICU), Operating Rooms, Pediatric Intensive care Units (PICU), Surgery, Ophthalmic offices
- Veterinary clinics, animal hospitals, animal life science laboratories, kennels, pet animal kennels, breeding establishments, grooming establishments, pet animal quarters, zoos, pet shops, tack shops
- Animal holding areas, veterinary waiting rooms, veterinary examination rooms, veterinary X-ray rooms, veterinary operating rooms, animal transportation vehicles
- Beauty salons, barber shops, correctional facilities, funeral homes, mortuaries
- Schools, health clubs, gyms, athletic facilities, airports, transportation terminals
- Grocery stores, Shopping Centers, Delicatessens, Catering facilities, Banquet halls
- Nursery, Daycare centers
- Households, homes, residences
- Household kitchens and/or bathrooms

Manufacturers using this master label are responsible for producing a final label with adequate directions for the safe and effective use of their product

- Institutional kitchens and/or bathrooms

(This product or Stepan® Disinfectant Wipe) will clean and disinfect hard, non-porous, surfaces of: bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, ultrasound transducers and probes.

(This product or Stepan® Disinfectant Wipe) will clean and disinfect hard, non-porous surfaces of: grocery cart handles, grocery carts, shopping carts, grocery cart child seats.

(This product or Stepan® Disinfectant Wipe) will clean and disinfect hard, non-porous surfaces of: changing tables, cribs, diaper pails, trashcans, garbage cans.

(This product or Stepan® Disinfectant Wipe) will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, (bathroom)(kitchen) faucets, bathtubs, shower (doors)(stalls), stove tops.

(This product or Stepan® Disinfectant Wipe) will clean and disinfect hard, non-porous surfaces of: gym equipment, exercise machines, wrestling mats, gymnastic equipment.

Use (this product or Stepan® Disinfectant Wipe) to clean and disinfect non-porous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Caution: Cleaning at the recommended 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)

(This product or Stepan® Disinfectant Wipe) is formulated to disinfect hard, non-porous, inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets.

(This product or Stepan® Disinfectant Wipe) cleans and/or disinfects and/or deodorizes.

Antibacterial (wipes) (formula)

Disinfects in (just) 5 minutes.

Kills 99.9% of bacteria in (just) 60 seconds.

Kills 99.9% of *Campylobacter jejuni* (ATCC 29428) in (just) (1 minute) (60 seconds)

Kills SARS-CoV-2 (the virus that causes COVID-19) in 30 seconds.

Kills Influenza A2/Japan in (just) 5 minutes.

Leaves hard, non-porous surfaces disinfected.

One step (cleaning) and /or (disinfecting) and/or (deodorizing).

## **DIRECTIONS FOR USE**

*(For labels that list medical premises and metal and/or stainless steel surfaces, one of the following statements must be used:)*

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

or

This product is not for use on critical and semi-critical medical device surfaces.

*(For labels that list for use in nursery and day care centres and on baby articles such as changing tables, cribs, car seats, etc., the following statement must be used:)*

**CLEANING:** Use one (Stepan® Disinfectant Wipe) (wipe) (towelette) to completely remove surface of all (gross) (major) (loose) (dirt) (and)(debris) from surfaces to be treated.

**DISINFECTING:** To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for disinfecting. Use enough (wipes) (cloths) (towelettes) for treated surface to remain visibly wet for 5 minutes (30 seconds for SARS-CoV-2 (the virus that causes COVID-19). For heavily soiled surfaces, clean before following disinfecting instructions. Avoid contact with food.

Remove all animals/poultry and their feed from premises prior to disinfection.

For surfaces and/or objects that may come into direct contact with children at the mouthing stage of development, a rinse with potable water is recommended.

All surfaces and/or objects that will contact feed or drinking water should be rinsed with potable water before reuse.

(This product or Stepan® Disinfectant Wipe) is an effective disinfectant against *Escherichia coli* O157:H7 (ATCC 43895), *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella enterica* (Salmonella) (ATCC 10708), *Staphylococcus aureus* (ATCC 6538) and *Streptococcus pyogenes* (Strep) (ATCC 19615), ), Community Associated Methicillin Resistant *Staphylococcus aureus*- CA-MRSA (Genotype USA400) and Community Associated Methicillin Resistant *Staphylococcus aureus* CA-MRSA (Genotype USA300), Vancomycin resistant *Enterococcus faecium* (VRE), Methicillin resistant *Staphylococcus aureus* (MRSA), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA), *Klebsiella pneumonia* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

(This product or Stepan® Disinfectant Wipe) is an effective disinfectant on hard, non-porous surfaces against Influenza A<sub>2</sub>/Japan, Herpes Simplex Virus 1 (ATCC VR-260) and Herpes Simplex Virus 2 (ATCC VR-734) when the treated surface is allowed to remain wet for 5 minutes (30 seconds for SARS-CoV-2 (the virus that causes COVID-19).

This product has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including 2009 (H1N1) pandemic Influenza A virus.

**FUNGICIDAL ACTIVITY:** (This product or Stepan® Disinfectant Wipe) is an effective fungicide against *Trichophyton interdigitale* (ATCC 9533), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. The surface must remain visibly wet for 3 minutes. Allow surfaces to air dry.

**EFFICACY TESTS HAVE DEMONSTRATED THAT (THIS PRODUCT OR PRODUCT NAME) IS AN EFFECTIVE BACTERICIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

**For Ultrasound Transducers and Probes:**

Use only on external surfaces of ultrasound transducers and probes.

With a clean washcloth, clean gel from external surface of the ultrasound transducer or probe to be disinfected. Then thoroughly wet probe with (wipe(s)) (towelette(s)). Treated surface must remain wet for 5 minutes. Use additional (wipe(s)) (towelette(s)) if needed to assure continuous 5 minute wet contact time. Let air dry.

**SANITIZING/DEODORIZING:** To sanitize/deodorize hard, non-porous surfaces; wipe surface, using enough (wipes) (towelettes) (cloths) to allow treated surface to remain wet for 60 seconds for *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352), *Listeria monocytogenes* (ATCC 35152), *Escherichia coli* (E. coli) O157:H7 (ATCC 43895), *Campylobacter jejuni* (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

For surfaces that may come in contact with food, a potable water rinse is required.

For plastic and painted surfaces, spot test on an inconspicuous area before use.

(This product or Stepan® Disinfectant Wipe) will not harm most surfaces: including acrylic, fiberglass and vinyl.

**Not recommended for use on unpainted wood.**

Not for personal cleansing.

This is **not** a baby wipe!

Do not flush in toilet.

*Canister Directions (Use any of the following instructions – can also use with canister icon)*

**TO OPEN:**

- Remove lid from canister.
- Lift flap in center of lid.
- Pull up corner of center (wipe) (towelette) (cloth), twist to a point and thread through dispenser hole in lid. DO NOT PUSH FINGER THROUGH OPENING.
- Replace lid. Pull out exposed (wipe) (towelette) (cloth) and snap off. The next (wipe) (towelette) (cloth) pops up automatically. Dispose of used (wipes) (towelettes) (cloths) in trash receptacle. Snap center flap down when finished to retain moisture.
- Do not flush.

*Flip-top Canister Directions (can also use with Flip-top Canister icon)*

**TO OPEN PACKAGE:** Flip (pop) open dispensing cap (tab) and remove lid (top) by pulling upward. (Pull up corner of center (wipe) (towelette) (cloth), twist to a point and thread through slits in top.) Thread center (wipe) (towelette) (cloth) corner through slits in lid center. DO NOT PUSH FINGER THROUGH OPENING. Replace lid (top). Dispense (wipes) (towelettes) (cloths) by pulling out at an angle. (The next (wipe) (towelette) (cloth) pops up automatically.) Snap flip lid down when finished, to retain moisture. Dispose of used (wipes) (towelettes) (cloths) in trash. Do not flush.

**DISPENSER:** To start feed, remove (large) cover and discard seal from container. From center of (wipe) (towelette) (cloth) roll, pull up (wipe) (towelette) (cloth) corner, twist into a point and thread it through the hole in the container cover. DO NOT PUSH FINGER THROUGH HOLE. Pull through about one inch. Replace cover. Pull out first (wipe) (towelette) (cloth) and snap off at a 90

Manufacturers using this master label are responsible for producing a final label with adequate directions for the safe and effective use of their product

degree angle. Remaining (wipes) (towelettes) (cloths) feed automatically ready for next use. When through using, keep small center cap closed to prevent moisture loss. Do not flush.

*Flip-top Canister Directions (can also use with Flip-top Canister icon)*

**TO OPEN PACKAGE:** 1. Lift tab at front of lid to open. 2. Pull up corner of center sheet and thread through dispenser slit in lid. 3. Pull out exposed (wipe) (towelette) (cloth) at a 45 degree angle and snap off. The next (wipe) (towelette) (cloth) is ready for dispensing. 4. Close lid to retain moisture. 5. Dispose of used (wipes) (towelettes) (cloths) in trash (receptacle). Do not flush.

*Refillable Package Instructions: (Use with product supplied in refillable packages)*

**TO OPEN PACKAGE:** Flip open dispensing flap and remove lid by lifting upward. Place (pouch) (package) in (container) (tub). Open pouch by peeling back seal. Insert (wipe) (towelette) (cloth) through opening in lid. Replace lid. The next (wipe) (towelette) (cloth) pops up automatically. When finished, close lid flap to retain moisture.

*Refill Package Instructions: (Use for refill package)*

**TO OPEN PACKAGE:** Flip open dispensing flap and remove lid by lifting upward. Place refill in (container) (tub). Open (container) (tub) by peeling back seal. Insert (wipe) (towelette) (cloth) through opening in lid. Replace lid. The next (wipe) (towelette) (cloth) pops up automatically. When finished, close lid to retain moisture.

*Resealable Package Instructions: (Use for product supplied in resealable pouches/packages)*

**TO OPEN PACKAGE:** Slowly peel back label. (Pull out) (Remove) (wipes) (towelettes) (cloths) as needed. To retain moisture, reseal (pouch) (package) by firmly pressing label back on the (pouch) (package).

*Single Use Pouch Instructions: (Use for product supplied in single use pouches/packets)*

**TO OPEN PACKAGE:** Tear pouch open (along dotted line) (at tear notch) (along the top edge of pouch). (Pull out) (Remove) (wipes) (towelettes) (cloth).

*For product supplied in a single use pouch with a folded towelette, include the following)*

Unfold (wipe) (towelette) (cloth) before use.

*Center Pull Dispenser Instructions: (Use for product supplied in plastic bags)*

**TO OPEN PACKAGE:** (Open lid of the dispenser.) (Cut "V" out of the top of the (plastic) bag.) (Tear open (tab on) top of (plastic) bag.) (Cut open top of (plastic) bag.) (Remove the Styrofoam core from the center of the roll.) Pull out the first (wipe) (towelette) (cloth) approximately 6 to 8 inches from the center of the roll. (Place entire bag inside of center pull dispenser. Thread the (wipe) (towelette) (cloth) through the opening on the dispenser.) Place entire bag inside of center pull dispenser. Close the lid of the dispenser.) ((Wipe) (Towelette) (Cloth) dispensing tension may be adjusted on the bottom of the dispenser.) (Additional loading directions are listed on the dispenser.) Dispenser may be mounted with (wipes) (towelettes) (cloths) (dispensing up) (dispensing down) (dispensing up or down).

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

## FIRST AID

Have the product container or label and Drug Identification Number (DIN) with you when calling a poison control center or doctor, or going for treatment.

Manufacturers using this master label are responsible for producing a final label with adequate directions for the safe and effective use of their product

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**(Optional)** You may contact XXX/XXX-XXXX for emergency medical treatment information.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

### **STORAGE**

Store in an area inaccessible to children. Store at room temperature. Dispose of (wipe) (towelette) in trash after use. Do not flush. Tightly close lid between uses to retain moisture. Do not reuse empty (container) (canister).

### **DISPOSAL:**

For information on disposal of unused, unwanted product, contact the manufacturer or the appropriate municipal/provincial/territorial agency or product stewardship organization. Rinse the emptied container thoroughly prior to disposal. Non-refillable container. Dispose of the empty container in accordance with municipal/provincial/territorial requirements. Offer for recycling, if available.