



Product Bulletin

Product Name

Chemical Description

INCI Name

CAS Registry No.

Applications

Typical Properties

Storage & Handling

Clearances

February 2019 Supersedes: December 2016 Page 1 of 2

NINOL® M10

```
O || RC-NH-CH_2CHOH | CH_3 RCO^- = fatty acids derived from coconut oil
```

Cocamide MIPA

68333-82-4

Functional Properties

- Viscosity booster
- Foam booster
- Foam stabilizer (with emollient and anti-corrosive effects)
- Stable at neutral, alkaline and acidic systems

End Product Uses

Conditioning Shampoos

Shower Gels

Bubble Baths

Liquid Hand Soaps

Appearance at 20 °C	. White, creamy pastille
Free Monoisopropylamine, %	<2
Nonionic Content, %	
Color, Gardner (at 70 °C)	
Melting Point, °C (°F)	52 (126)

Normal safety precautions (i.e., gloves, dust mask, and safety goggles) should be employed when handling NINOL M10. Contact with the eyes and prolonged contact with the skin should be avoided. Wash thoroughly after handling material. This product should be used in a well-ventilated area. Avoid inhaling dust.

It is recommended that NINOL M10 be stored in tightly sealed containers and kept at temperatures not exceeding 120 °F (49 °C).

Standard Packaging: NINOL M10 is available in bags.

The international inventories (country clearances) of NINOL M10 can be found in Section 15 of the Safety Data Sheet (SDS). It is the responsibility of the formulator to review the chemical control regulations for each country where the end product is intended to be sold or used. If you have any further questions regarding inventories, please contact North American Technical Service at techserv@stepan.com.

NINOL® is a registered trademark of Stepan Company.



Product Stewardship

Additional Safety Information This product bulletin has been written in accordance with ACC's Product Stewardship guidelines.

A Safety Data Sheet is available upon request.



The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents or to violate any applicable laws. STEPAN COMPANY MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, AND NO WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE, INCLUDING REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, ADEQUACY OR OTHERWISE. Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party in respect of this information, including in respect of its accuracy, completeness, adequacy, furnishing, use, or reliance upon, and the vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise to the fullest extent possible under the relevant law.

Stepan



Corporate Headquarters Northfield, Illinois 60093, U.S.A. Phone: 847-446-7500

Fax: 874-501-2100 Website: www.stepan.com For Technical Service Call:
Stepan North America +1-800-745-7837
Stepan Mexico +55-11-5089-2208
Stepan Quimica +55-11-5089-2200
Stepan Colombia +571-636-2808
Stepan Europe +33-476-505-160
Stepan Asia +656-879-9855
Stepan Philippines +656-879-9855

For Customer Service Call:
Stepan North America +1-800-457-7673
Stepan Mexico +52-555-533-1967
Stepan Quimica +55-11-5089-2200
Stepan Colombia +57-6-8993125
Stepan UK +44-161-338-5511
Stepan France +33-476-50-51-00
Stepan Philippines +63-2-842-7951

February 2019 Supersedes: December 2016 Page 2 of 2